

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/516,601	12/03/2004	Marc Kouwenhoven	PHNL020467US	7125	
7590 03/17/2006			EXAMINER		
Thomas M Lundin			ARANA, I	ARANA, LOUIS M	
Philips Intellec	tual Property & Standards	;			
595 Miner Road			ART UNIT	PAPER NUMBER	
Cleveland, OH 44143			2859		

DATE MAILED: 03/17/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

·	Application No.	Applicant(s)			
		/AM			
Office Action Summary	10/516,601	KOUWENHOVEN, MARC			
omee Action Gammary	Examiner	Art Unit			
The MAILING DATE of this communication comm	Louis M. Arana	2859			
The MAILING DATE of this communication app Period for Reply	lears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1)⊠ Responsive to communication(s) filed on 03 De	ecember 2004.				
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.				
3) Since this application is in condition for allowar	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Disposition of Claims					
4) ⊠ Claim(s) 1-9 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-9 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or					
Application Papers					
9)⊠ The specification is objected to by the Examine	r				
10) ☐ The drawing(s) filed on <u>03 December 2004</u> is/a		ed to by the Examiner.			
Applicant may not request that any objection to the					
Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Ex					
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been receive I (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 12/04.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Specification

- 2. This application does not contain an abstract of the disclosure as required by 37 CFR 1.72(b). An abstract on a separate sheet is required.
- 3. The disclosure is objected to because of the following informalities: It contains reference to the claims. See page 2 line 11. Also the specification makes reference to Fig. 2 which figure does not exist.

Appropriate correction is required.

Drawings

4. The drawings are objected to because all rectangular boxes in Fig. 1 should be labeled See 37 CFR 1.83. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several

Application/Control Number: 10/516,601 Page 3

Art Unit: 2859

views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 6. Claims 1-9 are rejected under 35 U.S.C. 102(b) as being anticipated by WO 88 04058 to Shenoy.

Shenoy discloses a Magnetic Resonance Imaging apparatus that can select any number of planes oriented arbitrarily with respect to a Cartesian coordinate system, for imaging. See for example the description on page 6. See also the description of the apparatus shown in Fig. 11. Note that the imaging planes selected do not have to be oriented differently but would include parallel slices to that of the selected plane or slice. This fact can be clearly understood from the "Prior Art" as described by Shenoy which states "Also, the prior art in that domain entails multi-slice imaging which permits image

data, in one scan, to be taken in a plurality of parallel planes, through the object, which are orthogonal to one of the three orthogonal axes, which are uniformly spaced one from the other, and whose image centers are all aligned".

Shenoy meets all the limitations of the claims at issue in their present form.

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Smith et al., Keren et al., and Hounsfield all disclose MRI systems that provide for selection of the orientation of an imaging slice. Note the abstract of each of the disclosures.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Louis M. Arana whose telephone number is (571) 272-2236. The examiner can normally be reached on M-Thurs. Fridays Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2859

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Louis M. Arana Primary Examiner Art Unit 2859

lma 3/13/06